# LEGEND AND ABBREVIATIONS

<u>LEGEI</u>	<u>ND AND ABBREVIA I IC</u>	<u> </u>		
EXISTING SYMBOLS		ABBREVIATIONS		
SYMBOL	DESCRIPTION	СВ	CATCH BASIN	
-	SECTION CORNER	<b>Q</b>	CENTERLINE	
	1/4 OFOTION CODNED	CMP	CORRUGATED METAL PIPE	
	1/4 SECTION CORNER	CP	CONCRETE PIPE	
•	MONUMENT	EL	ELEVATION	
•	SET REBAR/CAP LS#46315	EXIST.	EXISTING	
0	FOUND REBAR	Æ	FLOWLINE	
①	TELEPHONE VAULT	IE	INVERT ELEVATION	
PV ~	POWER VAULT	LCPE I	LINED CORRUGATED POLYETHYLENE PIPE	
<del>ф</del> Д	LUMINAIRE	PL	PROPERTY LINE	
×	WATER VALVE	PP	POWER POLE	
0	BOLLARD	PVC	POLYVINYL CHLORIDE PIPE	
Т	SIGN (AS NOTED)	R/W	RIGHT-OF-WAY	
J	JUNCTION BOX	STA	STATION	
	CATCH BASIN	SD	STORM DRAIN	
<b>(</b>	STORM MANHOLE	SS	SANITARY SEWER	
0 <del>1</del> 44	TRAFFIC SIGNAL	SSMH	SANITARY SEWER MANHOLE	
Δ	TRAVERSE POINT	SWPE	SOLID WALL POLYETHYLENE PIPE	
-0-	POWER POLE	TYP	TYPICAL	
0	SEPTIC TANK LID	TBR	TO BE REMOVED	
— w—	WATER LINE			
—он—	POWER LINE	PROPOSE	ED WATER SYMBOLS	
— G —	GAS LINE	SYMBOL	DESCRIPTION	
—ugt—	TELEPHONE LINE	[	WATER CAP	
<del>-X - X -</del>	BARBED WIRE FENCE	▶	CONCRETE BLOCKING	
	WOOD FENCE	<b>₩</b>	BUTTERFLY VALVE	
	D CTODIA CYMDOLC		11' BEND	
SYMBOL	D STORM SYMBOLS  DESCRIPTION		45' BEND	
	SD CAP		90' BEND	
			22' BEND	
	TYPE 1 CATCH BASIN, GRATED LID  TYPE 1 CATCH BASIN, SOLID LID	<b>H</b>	VALVE	
	TYPE 2 CATCH BASIN, GRATED LID	<b>@-</b>	HYDRANT ASSEMBLY	
		•	BLOW-OFF VALVE	
<b>●</b>	TYPE 2 CATCH BASIN, SOLID LID	•	REDUCER	
	BEEHIVE MANHOLE COVER	<b>`</b>	AIR-VAC ASSEMBLY	
	SQUARE YARD DRAIN	<b>5</b>	WATER METER	

# PROPOSED SEWER SYMBOLS DESCRIPTION

ROUND YARD DRAIN

STORM PIPE

SEWER CAP SEWER CLEANOUT SEWER MANHOLE SEWER PIPE

# CONTACT LIST

OWNER/APPLICANT: TITANIUM OFFICE. LLC 10515 20TH ST SE SUITE 202 LAKE STEVENS, WASHINGTON 98258 CONTACT: PATRICK MCCOURT PHONE: (425) 308-5101 FAX: (425) 645-8103 EMAIL: pmccourt@landprogrp.com

OWNER REPRESENTATIVE: LAND PRO GROUP, INC. 10515 20TH ST SE SUITE 202 LAKE STEVENS, WASHINGTON 98258 CONTACT: RYAN LARSEN PHONE: (425) 551-7600 FAX: (425) 645-8103 EMAIL: rlarsen@landprogrp.com

LANDSCAPE ARCHITECT: ORIGIN DESIGN GROUP 1031 185TH AVENUE NE SNOHOMISH. WASHINGTON 98290 CONTACT: KRYSTAL LOWE PHONE: (425) 346-9105 EMAIL: origindg@gmail.com

CIVIL ENGINEER:


LDC, INC. 20210 142ND AVE NE WOODINVILLE, WA 98072 CONTACT: JOSEPH HOPPER, PE PHONE: (425) 806-1869 FAX: (425) 482-2893 EMAIL: jhopper@ldccorp.com

SURVEYOR: PACIFIC COAST SURVEYS, INC. 16300 MILL CREEK BLVD, STE G4 MILL CREEK, WASHINGTON 98082 CONTACT: DARREN RIDDLE, PLS PHONE: (425) 508-4951 FAX: (425) 357-3577 EMAIL: darren@pcsurveys.net

ARCHITECT: MJ NEAL AND ASSOCIATES WENATCHEE, WASHINGTON 98807 CONTACT: MARK NEAL, AIA PHONE: (509) 663-6455

EMAIL: mjn@mjnealaia.com

# WHITE BARN - LOT 2



# PROJECT INFORMATION

8833 SOPER HILL ROAD MARYSVILLE, WASHINGTON TAX PARCEL: 00590700032001 SITE AREA: 54,767 SF 1.26 AC CURRENT ZONING: PROPOSED ZONING: PROPOSED LAND USE: COMMERCIAL PROPOSED LOTS: BUILDING SETBACKS: 10' PERIMETER CITY OF MARYSVILLE SEWER: CITY OF MARYSVILLE POWER: SNOHOMISH COUNTY PUD NO. 1 PUGET SOUND ENERGY TELEPHONE: FRONTIER

COMCAST

LAKE STEVENS SCHOOL DISTRICT NO. 4

MARYSVILLE FIRE DISTRICT RFA

SCHOOL DISTRICT:

FIRE DISTRICT:

TABLE OF CONTENTS

COVER SHEET

**EXISTING CONDITIONS MAP** PRELIMINARY SITE PLAN

PRELIMINARY ROAD AND UTILITY PLAN

PRELIMINARY ROAD PROFILES

PRELIMINARY ROAD SECTIONS

TURNING MOVEMENT PLAN

LANDSCAPE PLANS

# **EARTHWORK QUANTITIES**

2,100 CY 2,100 CY 0 CY

**DISTURBED AREA:** 71,170 SF (1.63 AC)

# **VICINITY MAP**

# SURVEY INFORMATION

# LEGAL DESCRIPTION

PARCEL A, CITY OF MARYSVILLE BOUNDARY LINE ADJUSTMENT NO. BLA22003 RECORDED UNDER AUDITOR'S FILE NO. 202205135001 IN THE RECORDS OF SNOHOMISH COUNTY BEING A PORTION OF LOTS 305, 318, AND 319 SUNNY SIDE FIVE ACRE TRACTS, ACCORDING TO THE PLAT THEREOF RECORDED IN VOLUME 7 OF PLATS, PAGE 19. RECORDS OF SNOHOMISH

SITUATE IN THE COUNTY OF SNOHOMISH, STATE OF WASHINGTON.

## VERTICAL DATUM

THE VERTICAL DATUM FOR THIS PROJECT IS NAVD88. THE BENCHMARK USED IS WSDOT POINT GP31009-196, EAST OF THE SITE NEAR SR-9, BEING 362.84 FEET AS SHOWN.

# HORIZONTAL DATUM - BASIS OF BEARINGS

BASIS OF BEARINGS FOR THIS PROJECT IS NAD83/91 AS ESTABLISHED BY A LINE HELD BETWEEN W.C.C.S. POINT 328 AND W.C.C.S. POINT 326, BEING NORTH 01°10'09" EAST.

# **EQUIPMENT & PROCEDURES**

# METHOD OF SURVEY:

SURVEY PERFORMED BY A FIELD TRAVERSE USING A "TRIMBLE S6" ROBOTIC TOTAL STATION, TRIMBLE 5800 GPS AND A "TDS RANGER" DATA COLLECTOR SUPPLEMENTED WITH FIELD NOTES WAS PERFORMED, ESTABLISHING THE ANGULAR, DISTANCE, AND VERTICAL RELATIONSHIPS BETWEEN THE MONUMENTS, PROPERTY LINES AND IMPROVEMENTS.

MEETS OR EXCEEDS STATE STANDARDS FOR LAND BOUNDARY SURVEYS AS SET FORTH IN WAC 332-130-090

# **SURVEY NOTES**

- 1. BARBED WIRE FENCE ENCROACHES AT THE SOUTHEAST
- AND SOUTHWEST CORNERS OF THE SITE 2. THERE IS A POWER LINE AERIAL ENCROACHMENT AT THE
  - SOUTHEAST AND SOUTHWEST CORNER OF THE SITE REFERENCE MAP — RECORD OF SURVEY AFN
- 200403035222 REFERENCE MAP - SUNNY SIDE FIVE ACRE TRACTS,
- VOLUME 7 OF PLATS. PAGE 19
- 5. REFERENCE MAP SNOHOMISH ROAD MAP DATED MAY 13, 1913 (SURVEY NO 477)

# FLOOD INFORMATION

FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) INFORMATION: FIRM (FLOOD INSURANCE RATE MAP) MAP NO. 53061C0740 PANEL 740 OF 1575, DATED NOVEMBER 8, 1999. THE SUBJECT PROPERTY IS IN ZONE X (AREAS DETERMINED TO BE OUTSIDE 500-YEAR FLOODPLAIN)

TITANIUM

DRAWING NAI	ME: CZ	214	- IP-CS-
DESIGNER:			J
DRAFTING BY	<b>′</b> :		D
DATE:		(	6-27-
SCALE:			1"=:
JURISDICTION	I: CITY	OF	MARYSV


JOB NUMBER:

FILE NUMBER: PA 22-030

**DISCLAIMER** 


THE SURVEY DATA SHOWN CONSISTS OF A COMBINATION OF SURVEY DATA FROM PACIFIC COAST SURVEYS AND THE ASSUMPTION THAT THE WHITE BARN COMMERCIAL PROJECT (PERMIT G21-0053) WAS CONSTRUCTED PER PLAN. LDC, INC. (LAND DEVELOPMENT CONSULTANTS, INC.) ASSUMES NO LIABILITY AS TO THE ACCURACY AND COMPLETENESS OF DATA THAT HAS BEEN SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center



BARN


TITANIUM



1 , 6	
JOB NUMBER:	C22-14
DRAWING NAME:	C22141P-T0-P
DESIGNER:	JMI
DRAFTING BY:	DP1
DATE:	6-27-22
SCALE:	1"=20
UUDIODIOTION (	NTV OF MADVOVIII


JURISDICTION: CITY OF MARYSVII

SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



BARN

TITANIUM WHITE




DRAWING NAME: C22141P-SP-DESIGNER: DRAFTING BY: URISDICTION: CITY OF MARYSVILL

Utilities Underground Location Center

BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD

SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



TITANIUM OFFICE, LLC
WHITE BARN - LOT 2

M. HOW WASHINGTON WASH

JOB NUMBER: C22-14

DRAWING NAME: C22141P-RD-F

DESIGNER: JM

DRAFTING BY: DP

DATE: 6-27-2

SCALE: 1"=20

JURISDICTION: CITY OF MARYSVILL

RD-01


811 or 1-800-424-5555

Utilities Underground Location Center

SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND

BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD

SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



DRAWING NAME: C22141P-RD-F

TITANIUM OFFICE,

WHITE BARN

FILE NUMBER: PA 22-030

Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center


FROM PACIFIC COAST SURVEYS AND THE ASSUMPTION THAT THE WHITE BARN COMMERCIAL PROJECT (PERMIT G21-0053) WAS CONSTRUCTED PER PLAN. LDC, INC. (LAND DEVELOPMENT CONSULTANTS, INC.) ASSUMES NO LIABILITY AS TO THE ACCURACY AND COMPLETENESS OF DATA THAT HAS BEEN

BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD

SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND

DESIGNER: DRAFTING BY: JURISDICTION: CITY OF MARYSVILL




FILE NUMBER: PA 22-030

**DISCLAIMER** 

THE SURVEY DATA SHOWN CONSISTS OF A COMBINATION OF SURVEY DATA FROM PACIFIC COAST SURVEYS AND THE ASSUMPTION THAT THE WHITE BARN COMMERCIAL PROJECT (PERMIT G21-0053) WAS CONSTRUCTED PER PLAN. LDC, INC. (LAND DEVELOPMENT CONSULTÁNTS, INC.) ASSUMES NO LIABILITY AS TO THE ACCURACY AND COMPLETENESS OF DATA THAT HAS BEEN SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center




TITANIUM OFFICE,

BARN

WHITE

JOB NUMBER: DRAWING NAME: C22141P-RD-F DESIGNER: DRAFTING BY: 6-27-2 JURISDICTION: CITY OF MARYSVILL

SHEET 6 OF 9



FILE NUMBER: PA 22-030

**DISCLAIMER** 

THE SURVEY DATA SHOWN CONSISTS OF A COMBINATION OF SURVEY DATA FROM PACIFIC COAST SURVEYS AND THE ASSUMPTION THAT THE WHITE BARN COMMERCIAL PROJECT (PERMIT G21-0053) WAS CONSTRUCTED PER PLAN. LDC, INC. (LAND DEVELOPMENT CONSULTANTS, INC.) ASSUMES NO LIABILITY

AS TO THE ACCURACY AND COMPLETENESS OF DATA THAT HAS BEEN

SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD

SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

Call 2 Business Days Before You Dig
811 or 1-800-424-5555
Utilities Underground Location Center

DATE: 6-27-22
SCALE: 1"=20'
JURISDICTION: CITY OF MARYSVILLE

RD-04

DRAWING NAME: C22141P-RD-F


JOB NUMBER:


DESIGNER: DRAFTING BY:

TITANIUM OFFICE,

BARN

WHITE





TEMPORARY ACCESS TYPICAL SECTION

**DISCLAIMER** 

THE SURVEY DATA SHOWN CONSISTS OF A COMBINATION OF SURVEY DATA FROM PACIFIC COAST SURVEYS AND THE ASSUMPTION THAT THE WHITE BARN COMMERCIAL PROJECT (PERMIT G21-0053) WAS CONSTRUCTED PER PLAN. LDC, INC. (LAND DEVELOPMENT CONSULTÁNTS, INC.) ASSUMES NO LIABILITY AS TO THE ACCURACY AND COMPLETENESS OF DATA THAT HAS BEEN SOURCED FROM PACIFIC COAST SURVEYS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.


Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center

DESIGNER: DRAFTING BY: FILE NUMBER: PA 22-030 JURISDICTION: CITY OF MARYSVILL

DRAWING NAME: C22141P-RD-F

TITANIUM OFFICE,

WHITE



# GENERAL NOTES

All rough grading shall be positive, draining away from all structures.

All stones larger than 1.5" diameter shall be removed from the growing medium.

Topsoil shall be provided in accordance to BMP T5.13 WSDOE Stormwater Management Manual for Western

All bed areas to receive 2" of fine ground fir or hemlock bark, composition mulches are not an acceptable

Trees and shrubs are to be planted at a depth 3/4" higher than the level that they were grown in the nursery.

Bark mulch is not to be placed above the root crown.

All plants shall at least conform to the minimum standard established by the american association of nurserymen.

Lawn areas are to be hydroseeded per manufacturer's specifications, OR EQUIVALENT. Remove all stones larger than 1" from lawn areas.

Equivalent plant material substitutions may be allowed with prior approval by the Landscape Architect.

If the site work is different than shown on the Landscape Plan, or poor soils and debris are discovered, requiring changes to the Landscape Plan, contact the Landscape Architect for instruction.

The Landscape Contractor is responsible for maintaining the landscape during installation, until final acceptance by the owner's representative.

The Landscape Contractor shall warranty all materials and workmanship for a period of one year, from the time of final acceptance.

During the warranty period, the Landscape Contractor will not be responsible for plant death caused by unusual climatic conditions, vandalism, theft, fire, or poor maintenance practices. The Landscape Architect shall have sole authority to determine the cause of death.

Planting plan takes precedent when there is a discrepancy between plant quantities in the plant schedule and the plan.

OPEN SPACE

Takeoff: 1,180 sf

Takeoff: 6,552 sf

LANDSCAPE AREA

Takeoff: 6,809 sf

# IRRIGATION ASSESSMENT

Automatic irrigation system shall be provided with final landscape plan.

# OPEN SPACE AND RECREATION REQUIRED

B.3.1 Open Space for Non-Residential Uses 2% of applicable site and 1% of building floor area. Applicable Site: 54,767 SF x 2% = 1,095 SFBuilding Floor Area: 7,258 SF x 1% = 73 SF Total Required: 1.168 SF

Open Space Provided: 1,180 SF

B.3.2. Pedestrian-Oriented Spaces At least 2 If of seating area or one individual seat, per 60 sf of plaza or open space required.  $1,168 \text{ SF x } \stackrel{.}{2} \text{ If } / 60 \text{ SF} = 39 \text{ If}$ 

1,168 SF / 60 SF = 20 individual seats

48 LF Provided (3 picnic tables, 16 lf of seating per table)

# PARKING LOT LANDSCAPING

PER MMC 22C.120.130 Parking Lot Area = 30,469 SF 10% landscaping required = 3,045 SF Landscaping Provided = 6,552 SF

# WATER CONSERVATION STANDARDS

MMC 22C.120.050

(c)(i) Turf, high-water-use plantings and water features shall be considered high-water uses and shall be limited to not more than 40 percent of the project's landscaped area if nondrought resistant grass is used, and no more than 50 percent of the landscaped area if drought resistant grass is used.

(c)(ii) Plants selected in all areas not identified for turf or high-water-use plantings shall be well suited to the climate, soils and topographic conditions of the site, and shall be low-water-use plants once established.


(d) Newly landscaped areas should have soils amended with either four inches of appropriate organic material with the first two-inch layer tilled into existing soils, or as called for in a soil amendment plan for the landscape.

Landscaped area: 6,809 sf Turf area: 731 sf 731 sf / 6,809 sf = 10.7%

# NOTE


F.2.5 Utility meters, electrical conduit, and other service utility apparatus. These elements shall be located and/or designed to minimize their visibility to the public. If such elements are mounted in a location visible from the street, pedestrian pathway, common open space, or shared auto courtyards, they shall be screened with vegetation or by architectural features.

# A PORTION OF THE SE 1/4, SW 1/4, SEC 1, TWN 29 N, RGE 5 E, W.M. CITY OF MARYSVILLE, SNOHOMISH COUNTY, WA





1031 185TH AVE NE SNOHOMISH, WA 98290 TEL: 425.346.1905



STATE OF WASHINGTON LICENSED LANDSCAPE ARCHITECT

KRYSTAL LOWE LICENCE NO. 1206

# REVISIONS: # DESCRIPTION # | SET TO NO PLOT XX/XX/XX

, WASHINGTON 0590700032001 0 00 Ш AR

DRAWING TITLE:

LANDSCAPE PLAN APPLICANT:

TITANIUM OFFICE, LLC 10515 20TH ST SE SUITE 202 LAKE STEVENS, WA 98258 **CONTACT: PATRICK MCCOURT** (425) 308-5101

DRAWING INFORMATION ODG PROJECT #: 22-430

CHECKED BY: KL

DRAWN BY: KL

DATE:

JUNE 30, 2022

SHEET NO:



# A PORTION OF THE SE 1/4, SW 1/4, SEC 1, TWN 29 N, RGE 5 E, W.M. CITY OF MARYSVILLE, SNOHOMISH COUNTY, WA

SIZE CONTAINER


	<u> </u>			<u> </u>	<u> </u>
	2	Acer rubrum `Bowhall`	Bowhall Red Maple	2" Cal.	B&B
	7	Amelanchier x grandiflora `Autumn Brilliance`	Autumn Brilliance Apple Serviceberry	2" Cal.	B&B
	7	Carpinus betulus `Fastigiata`	Pyramidal European Hornbean	2" Cal.	B&B
	11	Pyrus calleryana 'Chanticleer'	Chanticleer Callery Pear	2" Cal.	B&B
EVERGREEN TREES	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONTAINER
$\otimes$	2	Chamaecyparis obtusa 'Gracilis'	Slender Hinoki False Cypress	6` Ht.	B&B
0	14	Thuja occidentalis `Emerald`	Emerald Arborvitae	6` HT	B&B
SHRUBS	<u>QTY</u>	BOTANICAL NAME	COMMON NAME	SIZE	CONTAINER
<b>©</b>	12	Abelia x `SRPabeper`	Peach Perfection® Glossy Abelia	2 gal.	Pot
<b>©</b>	33	Berberis thunbergii `Crimson Pygmy`	Crimson Pygmy Barberry	2 gal.	Pot
$\odot$	11	Berberis thunbergii `Rose Glow`	Rosy Glow Barberry	2 gal.	Pot
*	9	Calamagrostis x acutiflora 'Karl Foerster'	Karl Foerster Feather Reed Grass	2 gal.	Pot
$\odot$	12	Euonymus japonicus `Microphylla Variegata`	Variegated Boxleaf Euonymus	2 gal.	Pot
*	4	Miscanthus sinensis `Gracillimus`	Maiden Grass	2 gal.	Pot
$\odot$	71	Nandina domestica `Gulf Stream` TM	Gulf Stream Heavenly Bamboo	2 gal.	Pot
*	3	Nassella tenuissima `Pony Tails`	Mexican Feathergrass	2 gal.	Pot
*	25	Pennisetum alopecuroides `Hameln`	Hameln Fountain Grass	2 gal.	Pot
$\odot$	5	Physocarpus opulifolius `SMPOTW` TM	Tiny Wine Ninebark	2 gal.	Pot
$\oplus$	22	Pinus mugo `Mops`	Mugo Pine	2 gal.	Pot
<b>①</b>	1	Pinus mugo `Slowmound`	Mugo Pine	2 gal.	Pot
	32	Prunus laurocerasus 'Otto Luyken'	Otto Luyken English Laurel	2 gal.	Pot
$\odot$	9	Rhaphiolepis indica `Clara`	Clara Indian Hawthorn	2 gal.	Pot
0	38	Spiraea x bumalda `Goldflame`	Goldflame Spirea	2 gal.	Pot
GROUND COVERS	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONTAINER
	2,312	Arctostaphylos uva-ursi	Kinnikinnick	4"	Pot
++++++++ ++++++++ ++++++++ ++++++++ ++++	150	Calluna vulgaris `White Lawn`	White Lawn Prostrate Heather	1 gal.	Pot
\( \psi \)	731 sf	Turf Hydroseed	Pacific Northwest Sun/Shade Mix		

**COMMON NAME** 

**BOTANICAL NAME** 


# LANDSCAPE MAINTENANCE PER MMC 22C.120.180

- (1) All landscaped areas and plants required by this chapter must be permanently maintained in a healthy growing condition in order to accomplish the purpose for which they were required.
- (2) Dead or diseased plants must be replaced within 30 days of notification, or as soon as practical in regard to freezing weather, or complex situations involving the removal and replacement of large trees.
- (3) All landscaped areas must be kept free of debris and weeds.
- (4) Plant material must not interfere with public utilities, restrict pedestrian or vehicular access, or constitute a traffic hazard.
- (5) Planted areas next to pedestrian walkways and sidewalks shall be maintained or plant material chosen to maintain a clear zone between three and eight feet from ground level.
- (6) The owners, their agents and assigns are responsible for providing, protecting, and maintaining all landscaping material in a healthy and growing condition, replacing it when necessary, and keeping it free of refuse and debris.
- (7) All fencing, walls and other features used for screening purposes shall be kept free of litter, debris, and weeds.





1031 185TH AVE NE SNOHOMISH, WA 98290 TEL: 425.346.1905



STATE OF
WASHINGTON
LICENSED
LANDSCAPE ARCHITECT

KRYSTAL LOWE LICENCE NO. 1206

REVISIONS:				
#	DESCRIPTION	DATE		
1	SITE PLAN CHANGES	10-10-22		

WHITE BARN - LOT 2
33 SOPER HILL ROAD
YSVILLE, WASHINGTOR

DRAWING TITLE:

LANDSCAPE PLAN

APPLICANT:

TITANIUM OFFICE, LLC 10515 20TH ST SE SUITE 202 LAKE STEVENS, WA 98258 CONTACT: PATRICK MCCOURT (425) 308-5101

DRAWING INFORMATION

ODG PROJECT #: 22-429

DRAWN BY: KL

CHECKED BY: KL

DATE:

JUNE 30, 2022

SHEET NO:

L-2

# A PORTION OF THE SE 1/4, SW 1/4, SEC 1, TWN 29 N, RGE 5 E, W.M. CITY OF MARYSVILLE, SNOHOMISH COUNTY, WA

**SECTION VIEW** 

Groundcover plants to be -

triangularly spaced.

Pavement. -

1- See planting legend for groundcover species, size, and spacing dimension.

time of planting. Roots on the periphery can be removed at the time of planting.

3- Settle soil around root ball of each groundcover prior to mulching.

GROUNDCOVER

2- Small roots (¼" or less) that grow around, up, or down the root ball periphery are

considered a normal condition in container production and are acceptable however they should be eliminated at the

3

PLANTING AT SHRUB AREAS.

KEEP MULCH 6" - 8"

FROM BASE OF TREE.

— MULCH WATER WELL

AREAS.

AT SHRUBS.


- NATIVE SOIL MIX

FIRMLY COMPACTED.

AREA TO 3" DEPTH. - 6" HIGH WATER


WELL AT SHRUB


FINISHED GRADE



FX-PL-FX-TREE-12

ROOT BARRIER TREE PLANTING





SHRUB PLANTING

- 2 - 3" thick layer of

Existing soil.



COLOR: BLACK QUANTITY: 3 (425) 432-6000 OR EQUIVALENT

TREE PLANTING DOUBLE STAKE


FX-PL-FX-TREE-10



PICNIC TABLE



1031 185TH AVE NE SNOHOMISH, WA 98290 TEL: 425.346.1905



STATE OF WASHINGTON LICENSED LANDSCAPE ARCHITECT

KRYSTAL LOWE LICENCE NO. 1206

REVISIONS: # DESCRIPTION SITE PLAN CHANGES | 10-10-22

> , WASHINGTON 0590700032001 Ш AR

A22030

DRAWING TITLE:

LANDSCAPE PLAN APPLICANT:

TITANIUM OFFICE, LLC 10515 20TH ST SE SUITE 202 LAKE STEVENS, WA 98258 **CONTACT: PATRICK MCCOURT** (425) 308-5101

DRAWING INFORMATION ODG PROJECT #: 22-429

DRAWN BY: KL CHECKED BY: KL

DATE:

JUNE 30, 2022

SHEET NO: