

	19/16"	AF#: 200000.
VERTICAL DATUM: (per core design) NAVD88 PER GNSS OBSERVATIONS	TRACT 999 TRACT 22 999 1-44	FENCE ENDS 0.2' S
BENCHMARKS: (per core design)	¥ ¥ FENC <b>157.24'</b> 0.7' §	OF R
FOUND 2" BRASS DISK IN CONCRETE MONUMENT STAMPED "LS#30427" DOWN 0.30. IN CASE. @ INTERSECTION OF 46TH PLACE NE AND 75TH AVENUE NE. ELEVATION=313.40		33.26'
<b>BASIS OF BEARINGS:</b> (PER CORE DESIGN) N01'03'22"E ALONG THE EAST LINE OF THE SOUTHWEST QUARTER OF SECTION 35, TOWNSHIP 30, RANGE 5 E W.M. PER REF. 2.	$\begin{array}{c} \mathbf{v} \\ $	000618 AP35
REFERENCES: (PER CORE DESIGN)	* * *	C C C C C C C C C C C C C C C C C C C
1. CITY OF MARYSVILLE BLA NO. BLA 19–004, RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO. 201910295002. 2. RECORD OF SURVEY RECORDED IN BOOK 4 OF SURVEYS, PAGE 166, UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO, 7609290248.	$\mathcal{A} = \begin{bmatrix} 23 \\ -23 \end{bmatrix} \begin{bmatrix} 1 \\ -41 \\ -41 \\ -41 \\ -41 \\ -40 \end{bmatrix}$	
LEGAL DESCRIPTION: (PER CORE DESIGN) TPN: 30053500303600		
LOT 7 OF THAT SURVEY RECORDED IN BOOK 4 OF SURVEYS, PAGE 166, UNDER AUDITOR'S FILE NO, 7609290248, BEING A PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 35, TOWNSHIP 30 NORTH, RANGE 5 EAST, W.M.	$\begin{array}{c} \mathbf{v} \\ \mathbf{v} \\ \mathbf{v} \\ \mathbf{v} \\ \mathbf{v} \end{array} $	
SITUATE IN THE COUNTY OF SNOHOMISH, STATE OF WASHINGTON. TPN: <u>30053500303700</u>	$\begin{array}{c} \mathbf{v} & \mathbf{v} \\ \mathbf{v} & \mathbf{v} \\ \mathbf{v} & \mathbf{v} \end{array}$	35
LOT B OF THAT SURVEY RECORDED IN BOOK 4 OF SURVEYS, PAGE 166, UNDER AUDITOR'S FILE NO, 7609290248, BEING A PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 35, TOWNSHIP 30 NORTH, RANGE 5 EAST, W.M.	$\begin{array}{c} \mathbf{v} \\ $	+ + -31 56 + -31 56
SITUATE IN THE COUNTY OF SNOHOMISH, STATE OF WASHINGTON.		
EXCEPTIONS CONTAINED IN TITLE: (PER CORE DESIGN) TPN: 30053500303600, COMMITMENT NO. 500126919		-29 125 - -29 125 - -29
1. THIS SITE IS SUBJECT TO A WATER LINE EASEMENT AND THE RIGHTS INCIDENTAL THERETO AS DISCLOSED BY INSTRUMENT RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO. 1226499. (SHOWN HEREON)		ter l
SNOHOMISH COUNTY AUDITOR'S FILE NO. 2093460. (NOTHING TO PLOT)	AF# 7609290248	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓
3. THIS SITE IS SUBJECT TO COVENANTS, CONDITIONS, RESTRICTIONS, RECITALS, RESERVATIONS, EASEMENTS, EASE4MENT PROVISIONS, DEDICATIONS, BUILDING SETBACK LINES, NOTES, STATEMENTS, AND OTHER MATTERS AS SET FORTH BY SURVEY RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NUMBER	<b>621.07</b> <b>6.21.07</b> <b>6.21.07</b> <b>6.21.07</b>	
7609290248. ( 4. THIS SITE IS SUBJECT TO A WATER LINE EASEMENT AND THE RIGHTS INCIDENTAL THERETO AS DISCLOSED BY INSTRUMENT RECORDED UNDER	<b>631</b>	<ul> <li>↓</li> <li>↓</li></ul>
SNOHOMISH COUNTY AUDITOR'S FILE NO. 7911210154. ( 5. THIS SITE IS SUBJECT TO COVENANTS, CONDITIONS, RESTRICTIONS, RECITALS, RESERVATIONS, EASEMENTS, EASE4MENT PROVISIONS, DEDICATIONS, BUILDING SETBACK LINES, NOTES, STATEMENTS, AND OTHER MATTERS AS SET FORTH ON PURPORTED CITY OF MARYSVILLE BOUNDARY LINE ADJUSTMENT NO 19–004		* * <b>TR 997</b> *WETLANDS*& BUFFERS
RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NUMBER 201910295002. (PROPOSED LOT LINE SHOWN HEREON)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
<ul> <li>TPN: 30053500303700, COMMITMENT NO. 500126920</li> <li>1. THIS SITE IS SUBJECT TO A RELEASE OF DAMAGES AND THE TERMS AND CONDITIONS THEREOF AS DISCLOSED BY INSTRUMENT RECORDED UNDER</li> </ul>	$\psi \qquad \psi \qquad$	* * * * * * * * *
SNOHOMISH COUNTY AUDITOR'S FILE NO. 2093460. (NOTHING TO PLOT) 2. THIS SITE IS SUBJECT TO COVENANTS, CONDITIONS, RESTRICTIONS, RECITALS, RESERVATIONS, EASEMENTS, EASE4MENT PROVISIONS, DEDICATIONS, BUILDING SETBACK LINES, NOTES, STATEMENTS, AND OTHER MATTERS AS SET FORTH BY SURVEY RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NUMBER	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
7609290248. ( 3. THIS SITE IS SUBJECT TO AN UNDERGROUND ELECTRIC TRANSMISSION AND DISTRIBUTION LINE EASEMENT AND THE RIGHTS INCIDENTAL THERETO AS DISCLOSED BY INSTRUMENT RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO. 7809200175. (SHOWN HEREON)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	v v v v v v v v v ·····················
<ul> <li>4. THIS SITE IS SUBJECT TO A TIGHT LINE AND DRAINFIELD EASEMENT AND THE RIGHTS INCIDENTAL THERETO AS DISCLOSED BY INSTRUMENT RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO. 8002190104. SAID EASEMENT IS A RE-RECORDING OF EASEMENT RECORDED UNDER AUDITOR'S FILE NO. 7911210153. (APPROXIMATE LOCATION SHOWN HEREON)</li> </ul>		
5. THIS SITE IS SUBJECT TO COVENANTS, CONDITIONS, RESTRICTIONS, RECITALS, RESERVATIONS, EASEMENTS, EASE4MENT PROVISIONS, DEDICATIONS, BUILDING SETBACK LINES, NOTES, STATEMENTS, AND OTHER MATTERS AS SET FORTH ON PURPORTED CITY OF MARYSVILLE BOUNDARY LINE ADJUSTMENT NO 19–004 RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NUMBER 201910295002.		
(PROPOSED LOT LINE SHOWN HEREON) 6. THIS SITE IS SUBJECT TO AN INGRESS, EGRESS AND UTILITIES EASEMENT AND THE RIGHTS INCIDENTAL THERETO AS DISCLOSED BY INSTRUMENT RECORDED UNDER SNOHOMISH COUNTY AUDITOR'S FILE NO. 201910290273. (SHOWN	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
HEREON)	$\frac{1}{1-4} \frac{1}{1-4} \frac{1}$	1-49 V
<b>NOTES:</b> (PER CORE DESIGN) 1. ALL TITLE INFORMATION SHOWN ON THIS MAP HAS BEEN EXTRACTED FROM CHICAGO TITLE COMPANY OF WASHINGTON COMMITMENT NO. 500126920 AND	$\begin{array}{c c} & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & &$	***
500126919 BOTH DATED SEPTEMBER 6, 2021. IN PREPARING THIS MAP, CORE DESIGN, INC. HAS CONDUCTED NO INDEPENDENT TITLE SEARCH NOR IS CORE DESIGN, INC. AWARE OF ANY TITLE ISSUES AFFECTING THE SURVEYED	FOUND 1/2" REBAR AND ILLEGIBLE CAP 0.3' S OF	
DESIGN, INC. HAS RELIED WHOLLY ON CHICAGO TITLE COMPANY OF WASHINGTON'S REPRESENTATIONS OF THE TITLE'S CONDITION TO PREPARE THIS SURVEY AND THEREFORE CORE DESIGN, INC. QUALIFIES THE MAP'S ACCURACY	0.2' S & 0.2' W OF PROPERTY CORNER	
AND COMPLETENESS TO THAT EXTENT. 2. THIS SURVEY REPRESENTS VISIBLE PHYSICAL IMPROVEMENT CONDITIONS EXISTING ON OCTOBER 13, 2021. ALL SURVEY CONTROL INDICATED AS "FOUND" WAS RECOVERED FOR THIS PROJECT IN OCTOBER, 2021. 3. PROPERTY AREA = 407,865± SQUARE FEET (9.3633± ACRES).	8. REC., NO. 79	INC EXSEMENT 14210154
<ol> <li>ALL DISTANCES ARE IN US FEET AT GROUND LEVEL.</li> <li>CONTOUR INTERVAL = 2 FEET.</li> <li>ELEVATION AND/OR CONTOUR INFORMATION SHOWN HEREON IS GENERATED FROM DIRECT FIELD OBSERVATION. SAID INFORMATION MEETS US NATIONAL MAPPING STANDARDS AND IS ACCURATE TO WITHIN ONE-HALF THE CONTOUR</li> </ol>		
INTERVAL. 7. BOUNDARY INFORMATION SHOWN HEREON IS DERIVED FROM OBSERVATION OF CONTROLLING MONUMENTATION AND INTERPRETATION OF RECORD DESCRIPTIONS _ AND OTHER EVIDENCE. TOPOGRAPHIC INFORMATION SHOWN HEREON IS RELATED TO THE BOUNDARY BY DIRECT FIELD OBSERVATION FROM CONTROLLING		POHP CM
MONUMENTATION. 8. THIS IS A COMBINED FIELD TRAVERSE AND GPS/GNSS SURVEY. A THREE SECOND COMBINED ELECTRONIC TOTAL STATION AND GPS/GNSS UNIT WITH OPUS/WSRN CORRECTIONS WERE USED TO MEASURE THE ANGULAR AND DISTANCE RELATIONSHIPS BETWEEN THE CONTROLLING MONUMENTATION AS SHOWN. CLOSURE RATIOS OF THE TRAVERSE MET OR EXCEEDED THOSE	SOIL TYPE AND VEGETATIVE COVER SOILS: VECETATIVE COVED: TOKUL GRAVELLY MEDIAL LOAM, 8-	8% SLOPES
SHOWN. CLOSURE RATIOS OF THE TRAVERSE MET OR EXCEEDED THOSE SPECIFIED IN WAC 332–130–090. ALL MEASURING INSTRUMENTS AND EQUIPMENT ARE MAINTAINED IN ADJUSTMENT ACCORDING TO MANUFACTURER'S SPECIFICATIONS.	VEGETATIVE COVER: PRIMARILY FORESTED	
9. UTILITIES OTHER THAN THOSE SHOWN MAY EXIST ON THIS SITE. ONLY THOSE UTILITIES WITH EVIDENCE OF THEIR INSTALLATION VISIBLE AT GROUND SURFACE OR AS MARKED BY 811 OR OTHER UTILITY LOCATING PROVIDERS ARE SHOWN	SENSITIVE AREAS TRACT15' STREET10'	
HEREON. UNDERGROUND UTILITY LOCATIONS SHOWN ARE APPROXIMATE ONLY. UNDERGROUND CONNECTIONS ARE SHOWN AS STRAIGHT LINES BETWEEN SURFACE EVIDENCE OF UTILITY LOCATIONS BUT MAY CONTAIN BENDS OR CURVES NOT SHOWN. SOME UNDERGROUND LOCATIONS SHOWN HEREON MAY HAVE BEEN TAKEN FROM PUBLIC RECORDS. CLIENT UNDERSTANDS THAT CORE DESIGN ASSUMES NO LIABILITY FOR THE ACCURACY OF PUBLIC RECORDS OR PAINTED UTILITY LOCATIONS.	SIDE YARD (STREET)10' SIDE YARD (INTERIOR)5' REAR YARD10'	







## SW 1/4 SECTION 35, TOWNSHIP 30 N, RANGE 5 E, W.M. MARYSVILLE - 44TH PRD


<u>SITE VOL</u>	UME CAL	CULATIONS	
CUT VOLUME (CU. YDS.)	FILL VOLUME (CU. YDS.)	NET VOLUME (CU. YDS.)	
18,938	21,106	2,168 FILL	
PURPOSES AND REPRESEN	T FINISH GRADE	E PROVIDED FOR PERMITTIN TO EXISTING GRADE AS SHO I ESTIMATES FOR DETERMIN	OWN.


ACTUAL EARTHWORK QUANTITIES. THE VOLUMES DO NOT INCLUDE STRIPPING, STRUCTURAL EXCAVATION, EXPANSION/COMPACTION FACTOR OR ANY SOIL TYPE RESTRICTIONS.

















# SW 1/4 SECTION 35, TOWNSHIP 30 N, RANGE 5 E, W.M. MARYSVILLE - 44TH PRD




COPYRIGHT © 2018, D.R. STRONG CONSULTING ENGINEERS INC






\1\21101\3\Drawings\Plots\PP\07-3WA21101.dwg 6/22/2022 10:43:11


### SW 1/4 SECTION 35, TOWNSHIP 30 N, RANGE 5 E, W.M. MARYSVILLE - 44TH PRD

















COPYRIGHT © 2018, D.R. STRONG CONSULTING ENGINEERS IN

mmmm

DRAWING: C8

SHEET: **8** OF **8** 

Call 2 Working Days Before You Dig

811

Utilities Underground Location Center

(ID,MT,ND,OR,WA)

NORTH

GRAPHIC SCALE

40

1 INCH = 40 FT.

