PARCEL NO.

N8914'29"W-

2905020010070

PARCEL NO.

PARCEL NO.

29050200100500

29050200102100

PARCEL NO.

29050200-10250

N89°16'53"W <u>150.04</u>'

TRACT 991

39


38

37

35 34 33 32 31 30 29

PARCEL NO.

29050200100200



SURVEY INFORMATION

LEGAL DESCRIPTION LOT 1 AFTER CONVEYANCE

LOT 1, CITY OF MARYSVILLE BOUNDARY LINE ADJUSTMENT BLA 20-003,

RECORDED UNDER AUDITOR'S FILE NUMBER 202011065003 RECORDS OF SNOHOMISH COUNTY, WASHINGTON, BEING A PORTION OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER AND THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF SECTION 16, TOWNSHIP 30 NORTH, RANGE 5 EAST, W.M.

LOT 2 AFTER CONVEYANCE

LOT 2, CITY OF MARYSVILLE BOUNDARY LINE ADJUSTMENT BLA 20-003,

RECORDED UNDER AUDITOR'S FILE NUMBER 202011065003, RECORDS OF SNOHOMISH COUNTY, WASHINGTON, BEING A PORTION OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER AND THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF SECTION 16, TOWNSHIP 30 NORTH, RANGE 5 EAST, W.M.

VERTICAL DATUM

VERTICAL DATUM: MONUMENT, W.G.S. SURVEY DATA WAREHOUSE DESIGNATION 2706-13-6, DATA BASE ID: 23044 ELEV.=64.11 NAVD88 NGVD29 CONVERSION IS NAVD88 - 3.73 FEET = NGVD29.

BENCHMARK BENCHMARK

PROJECT BENCHMARK - TOP N.W. BOLT OF RAILWAY SIGNAL LIGHT AS SHOWN HEREON. ELEVATION = 66.70'

BASIS OF BEARING

1. WASHINGTON STATE CORRDINATE SYSTEM, NORTH ZONE

- 2. HELD MONUMENT FOR COORDINATE BASE; W.G.S. SURVEY DATA WAREHOUSE DESIGNATION 2706-13-7, DATA BASE ID: 21080 MONUMENT FOR ROTATION; W.G.S. SURVEY DATA WAREHOUSE DESIGNATION 2706-13-6, DATA BASE ID: 23044
- 3. DISTANCES SHOWN HEREON ARE GROUND DISTANCES.GRID X 1.000057655 TO GROUND. GROUND X 0.999942349 TO GRID.

SURVEY NOTES

THIS SURVEY WAS PERFORMED IN 2006. THIS MAP REFLECTS THE CONVERSION TO STATE PLANE COORDINATES.

CONTACT LIST

APPLICANT/OWNER: HORIZON VIEW HOLDINGS, INC. 6443 NE 181ST ST KENMORE. WA 98028 CONTACT: DANIEL WICK PHONE: (206) 551-0499

EMAIL: dan@hvhinc.com

SURVEYOR: LDC, INC. 20210 142ND AVE NE WOODINVILLE, WASHINGTON 98072 CONTACT: VINCE TOWNSEND, PLS PHONE: (425) 806-1869

FAX: (425) 482-2893 EMAIL: vtownsend@ldccorp.com

SOUNDVIEW CONSULTANTS, LLC

PHONE: (425) 806-1869 FAX: (425) 482-2893 EMAIL: tabbott@ldccorp.com

20210 142ND AVE NE

CONTACT: TOM ABBOTT, PE

WOODINVILLE, WASHINGTON 98072

CIVIL ENGINEER:

LDC, INC.

GEOTECH ENGINEER: NELSON GEOTECHNICAL ASSOCIATES, INC. 17311 135TH AVE NE SUITE A-500 *WOODINVILLE, WA 98072* CONTACT: ALEX B. RINALDI, LG PHONE: (42) 486-1669 EMAIL: alexr@nelsongeotech.com

WETLAND BIOLOGIST:

2907 HARBORVIEW DRIVE GIG HARBOR, WA 98355 CONTACT: JON PICKETT PHONE: (253) 514-8952 EMAIL: jon@soundviewconsultants.com

PFN: PA23-005

Call 2 Business Days Before You Dig

| 811 or 1-800-424-5555 | Utilities Underground Location Center

HOLDINGS,

VIEW

HORIZON

KSIDE

REE

0

JOB NUMBER:	C22-17
DRAWING NAME:	C22173P-CS-
DESIGNER:	TF
DRAFTING BY:	DA
DATE:	3-8-2
SCALE:	1"=10
JURISDICTION:	MARYSVILI

SHEET 1 OF 15

UTILITY NOTE

THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

DISCLAIMER

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

STORM MANHOLE CULVERT SANITARY SEWER MANHOLE FIRE HYDRANT TREE CONIFEROUS TREE DECIDUOUS UTILITY POLE WATER METER WATER VALVE MAILBOX POWER VAULT FIBER OPTIC CABLE MARKER WELL (APPROXIMATE LOCATION) PROPOSED STORM SYMBOLS DESCRIPTION

PROPERTY LINE POWER POLE POLYVINYL CHLORIDE PIPE RIGHT-OF-WAY STATION STORM DRAIN STORM DRAIN MANHOLE SANITARY SEWER SANITARY SEWER CLEANOUT TYPE 1 CATCH BASIN, GRATED LID SANITARY SEWER MANHOLE TYPE 1 CATCH BASIN, SOLID LID SOLID WALL POLYETHYLENE PIPE TYPE 2 CATCH BASIN, GRATED LID TYPICAL TYPE 2 CATCH BASIN, SOLID LID TO BE REMOVED BEEHIVE MANHOLE COVER PROPOSED WATER SYMBOLS SQUARE YARD DRAIN DESCRIPTION ROUND YARD DRAIN WATER CAP STORM CLEAN OUT CONCRETE BLOCKING STORM PIPE BUTTERFLY VALVE 11° BEND PROPOSED SEWER SYMBOLS 90° BEND SEWER CAP 22° BEND SEWER CLEANOUT VALVE SEWER MANHOLE HYDRANT ASSEMBLY BLOW-OFF VALVE REDUCER AIR-VAC ASSEMBLY

EARTHWORK QUANTITIES PROJECT INFORMATION 7715 & 7811 40TH ST NE, 7808 44TH ST NE 10,000 CY MARYSVILLE, WA 98270

WATER METER

CORRUGATED POLYETHYLENE PIPE

CONCRETE PIPE

ELEVATION

EXISTING

FLOWLINE

FENCE

HOG WIRE FENCE

INVERT ELEVATION

OVERHEAD

LCPE LINED CORRUGATED POLYETHYLENE PIPE

29050200100400 TOTAL SITE AREA: 705,331 SF (16.19 AC) R - 6.5**EXISTING ZONING:** R - 6.5PROPOSED ZONING: PROPOSED LAND USE: DETACHED SINGLE FAMILY

29050200100200, 29050200100300

SITE ADDRESS:

TAX PARCELS:

PROPOSED LOTS: 3,500 SF MINIMUM LOT AREA: MAX IMPERVIOUS COVERAGE: 70% PER LOT WATER: CITY OF MARYSVILLE **SEWER:** CITY OF MARYSVILLE POWER: SNOHOMISH COUNTY PUD PUGET SOUND ENERGY **TELEPHONE:** FRONTIER CABLE: COMCAST SCHOOL DISTRICT: LAKEWOOD SCHOOL DISTRICT NO. 4

FIRE DISTRICT: MARYSVILLE FIRE DISTRICT RFA **BUILDING SETBACKS:** 10 FEET FRONT: REAR: SIDE: 10 FEET 5 FEET GARAGE: 20 FEET CRITICAL AREA: 15 FEET

PARKING REQUIREMENTS: 2 STALLS/DU + 1 GUEST STALL/DU = 147 STALLS PARKING REQUIRED: PARKING PROVIDED: 196 STALLS (2 IN GARAGE, 2 IN DRIVEWAY PER LOT)

10,000 CY FILL: NET: 0 CY

DISTURBED AREA: 366,408 SF (8.41 AC) *EARTHWORK QUANTITIES ARE FOR PERMITTING PURPOSES ONLY

NET AREA: R-6.5 ZONING (PER MMC 22A.020.150)

· · · · · · · · · · · · · · · · · · ·		
	AC (unless otherwise noted)	SF (unless otherwise noted)
GROSS PARCEL AREA	16.19	705,331
DEDUCTION FOR ROADS, PANHANDLES, AND ACCESS EASEMENTS	2.97	129,543
NON-TRANSFERED CRITICAL AREAS	5.72	248,993
TOTAL REMOVAL FOR NPA	8.69	378,536
NET PROJECT AREA (NPA)	7.5	326,700
MAXIMUM BASE DENSITY (NPA X 6.5 DU/AC)	49 LOTS	

PROJECT ZONING DENSITY CALCULATIONS

	DU (UNLESS OTHERWISE NOTED)	SF (UNLESS OTHERWISE NOTED)
GROSS PROJECT SITE AREA (AC)	16.19	705,331
NET PROJECT AREA (NPA) (AC)	7.5	326,700
BASE NET DENSITY	49 LOTS	
MAX DENSITY (WITH PRD BONUS DENSITY) = 120% X BASE DENSITY	59 LOTS	
DWELLING UNITS PROPOSED	49 LOTS	

TABLE OF CONTENTS

40TH STREET NE

COVER SHEET

26

2905020-

0700300

TRACT 993

2-3 EXISTING CONDITIONS MAP

TRACT 997

PARCEL NO.

,0059070003220⁻

00590700032203

PARCEL NO.

PARCEL NO.

PARCEL NO. 00590700023901

01202400003700

01202400003300

29050200100400

TRACT 996

-TRACT 998

ROAD A

40 | 41 | 42 | 43 | 44

49 | 48 | 47 | 46 | 45

PRELIMINARY HORIZONTAL CONTROL PLAN PRELIMINARY ROAD, STORM DRAINAGE, AND GRADING PLAN


+TRACT


PRELIMINARY ROAD PROFILES

PRELIMINARY ROAD SECTIONS

PRELIMINARY WATER AND SEWER PLAN

LANDSCAPE PLANS







	-
JOB NUMBER:	C22-17
DRAWING NAME:	C22173P-T0-F
DESIGNER:	TF
DRAFTING BY:	DA
DATE:	3-8-2
SCALE:	1"=4

JURISDICTION: MARYSVIL

SHEET **3** OF **15**

IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.





CONSTRUCTION.

NOTED IN THE FIELD SHOULD BE BROUGHT


IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.


NC NC HORIZON VIEW HOLDINGS, CREEKSIDE

JOB NUMBER:	C22-17
DRAWING NAME:	C22173P-HC-P
DESIGNER:	TP
DRAFTING BY:	DAI
DATE:	3-8-2
SCALE:	1"=40
JURISDICTION:	MARYSVILL

SHEET **5** OF **15**

Utilities Underground Location Center





CREEKSIDE

OTAL	
JOB NUMBER:	C22-1
DRAWING NAME: C221	73P-RD-
DESIGNER:	T
DRAFTING BY:	D
DATE:	3-8-
SCALF:	1"=

JURISDICTION: MARYSVIL

SHEET **7** OF **15**

Utilities Underground Location Center

WHAT IS SHOWN ON THE PLANS AND WHAT IS

IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

NOTED IN THE FIELD SHOULD BE BROUGHT

TIME PRIOR TO THE START OF

CONSTRUCTION.

PORTION OF THE NE, SEC 2, TWN 29 N, RGE 5 E, W.M., MARYSVILLE, WASHINGTON 60' VC PVI STA=8+85.23 PVI EL=303.79 K=20.23 EXISTING GRADE AT ROAD © FINISHED GRADE AT FLOWLINE 60' VC PVI STA=11+80.33 PVI EL=282.83 K=40.11 60' VC PVI STA=12+50.43 PVI EL=278.63 K=33.65 60' VC PVI STA=15+20.87 PVI EL=286.11 K=108.45 60' VC 60' VC 60' VC 60' VC PVI STA=13+10.43 PVI STA=13+77.54 PVI STA=14+46.79 PVI STA=14+46.79 PVI EL=276.11 K=12.45 LP STA=13+32.73 LP EL=276.28 PVI EL=276.53 K=13.73 LINE ROAD HOR: 1"=40' VER: 1"=4' *8+00* 9+00 10+00 11+00 12+00 13+00 14+00 *15+00* 16+00

UTILITY NOTE


THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

DISCLAIMER

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.








HORIZON VIEW HOLDINGS, INC.

CREEKSIDE


DRAWING NAME: C22173P-RD-I DESIGNER: DRAFTING BY: JURISDICTION: MARYSVILL

SHEET **8** OF **15**



THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



DRAFTING BY: Call 2 Business Days Before You Dig 811 or 1-800-424-5555


HORIZON VIEW HOLDINGS, INC.

CREEKSIDE

JURISDICTION: MARYSVILI Utilities Underground Location Center

DRAWING NAME: C22173P-RD-I

DESIGNER:



THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



	S P. ABOUT TO SERVICE THE SERVICE TO SERVICE THE SERVI
	OJONAL WIT

HORIZON VIEW HOLDINGS, INC.

CREEKSIDE

JOB NUMBER:	C22-173
DRAWING NAME: C2	2173P-RD-PF
DESIGNER:	TPA
DRAFTING BY:	DAI
DATE:	3-8-23
SCALE:	1"=40

JURISDICTION: MARYSVILLE


RD-05

SHEET 10 OF 15

PORTION OF THE NE, SEC 2, TWN 29 N, RGE 5 E, W.M., MARYSVILLE, WASHINGTON 60' VC PVI STA=42+75 PVI EL=286.05 K=18.87 60' VC PVI STA=53+50 PVI EL=258.94 K=15.00 LP STA=53+50 LP EL=259.24 180' VC 110' VC PVI STA=52+20 PVI EL=261.54 K=28.47 PVI STA=50+75 PVI EL=273.14 K=18.34 EXISTING GRADE — AT ROAD & PVI STA=40+60 PVI EL=274.90 K=18.83 FINISHED GRADE— AT ROAD € EXISTING GRADE AT ROAD & ∕—FINISHED GRADE AT ROAD € **ROAD B**HOR: 1"=40' VER: 1"=4' **ROAD C**HOR: 1"=40' VER: 1"=4' 51+00 *52+00 40+00 50+00* 41+00 *42+00 43+00* **DISCLAIMER** UTILITY NOTE THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF

CONSTRUCTION.

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.





JURISDICTION: MARYSVIL

SHEET 11 OF 15

HORIZON VIEW HOLDINGS, INC.


CREEKSIDE







ROAD A STATION ~20+35 - ~22+17

CITY OF MARYSVILLE STD PLAN 3-202-002







79TH AVE NE ROAD SECTION STA 70+72.92 - STA 73+25.35

UTILITY NOTE THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

SUITABLE NON-YIELDING SUB-GRADE-

DISCLAIMER

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.

PFN: PA23-005

Call 2 Business Days Before You Dig 811 or 1-800-424-5555 Utilities Underground Location Center


DRAWING NAME: C22173P-RD-I DESIGNER: DRAFTING BY: IURISDICTION: MARYSVIL

JOB NUMBER:


HORIZON VIEW HOLDINGS,

CREEKSIDE

SHEET **12** OF **15**



CREEKSIDE




JOB NUMBER:	C22-173
DRAWING NAME:	C22173P-UT-PL
DESIGNER:	TPA
DRAFTING BY:	DAD
DATE:	3-8-23
SCALE:	1"=40

JURISDICTION: MARYSVIL

SHEET **13** OF **15**

IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.




CREEKSIDE


*****	' '/3
JOB NUMBER:	C22-
DRAWING NAME: C22	173P-UT
DESIGNER:	
DRAFTING BY:	
DATE:	3-8-
COALE	4"

URISDICTION: MARYSVIL

SHEET **15** OF **15**

IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.





NOTES

AS-BUILTS NEEDED FOR PATEY PHASE I
TO COMPLETE SEWER VERTICAL DESIGN
DURING FULL CONSTRUCTION SUBMITTAL

PFN: PA23-005

UTILITY NOTE

THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION. AGENCIES INVOLVED SHALL BE NOTIFIED WITHIN A REASONABLE TIME PRIOR TO THE START OF CONSTRUCTION.

DISCLAIMER

THE TOPOGRAPHIC SURVEY WAS PERFORMED BY LDC, INC. IN OCTOBER 2021. ANY CHANGES TO THE SITE AFTER THIS DATE WILL NOT BE REFLECTED IN THE PLANS. ANY DISCREPANCIES FOUND BETWEEN WHAT IS SHOWN ON THE PLANS AND WHAT IS NOTED IN THE FIELD SHOULD BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER.



Utilities Underground Location Center

DRAWING NAME: C22173P-UT-DESIGNER: TF DRAFTING BY: SCALE: JURISDICTION: MARYSVILI

HORIZON VIEW HOLDINGS, INC. CREEKSIDE

SHEET **15** OF **15**